

各論文における引用文献

Noel Gill

1. UK Dept of Health. Spongiform Encephalopathy Advisory Committee (SEAC) Press Release following meeting of 17 July 2000.
2. UK Dept of Health Statement – cluster of CJD cases in Leicestershire. 14 July 2000.
3. Ward HJT. Surveillance of variant Creutzfeldt-Jacob disease in the United Kingdom. Eurosurveillance 2000; **5**: 904.
4. Dormont D. New variant of Creutzfeldt-Jacob disease. Eurosurveillance 2000; **5**:95-7.
5. Chalus T, Peutz L. BSE : the European regulation. Eurosurveillance 2000; **5** (in press)

Hester JT Ward

1. Southwood Committee. Report of the working committee on bovine spongiform encephalopathy. London: Department of Health and Ministry of Agriculture, Fishery and Food, 1989.
2. Collinge J, Sidle KCL, Meads J, Ironside J, Hill AF. Molecular analysis of prion strain variation and the aetiology of 'new variant' CJD. Nature 1996; **383**: 685-90.
3. Bruce ME, Will RG, Ironside JW, McConnell I, Drummond D, Suttie A, et al. Transmissions to mice indicate that 'new variant' CJD is caused by the BSE agent. Nature 1997; **389**: 498-501.
4. Hill AF, Desbruslais M, Joiner S, Sidle KAC, Gowland I, Collinge J. The same prion strain causes vCJD and BSE. Nature 1997; **389**: 448-50.
5. Scott MR, Will RG, Ironside JW, Nguyen HOB, Tremblay P, DeArmond SJ, et al. Compelling transgenic evidence for transmission of bovine spongiform encephalopathy prions to humans. Proc Natl Acad Sci USA 1999; **96**: 15137-42.
6. Knight R. The relationship between new variant Creutzfeldt-Jacob Disease and Bovine Spongiform Encephalopathy. Vox Sang 1999; **76**: 203-8.
7. Will RG, Zeidler M, Stewart GE, Macleod MA, Ironside JW, Cousens SN, et al. Diagnosis of new variant Creutzfeldt-Jacob Disease. Ann Neurol 2000; **47**: 575-82.
8. Goldfarb LV, Petersen RB, Tabaton M, Brown P, LeBlanc AC, Montagna P, et al. Fatal familial insomnia and Creutzfeldt-Jacob disease: disease phenotype determined by DNA polymorphism. Science 1992; **258**: 806-8.
9. Will RG. Surveillance of prion diseases in humans. In: Baker HF, Ridley RM, editors. Methods in molecular medicine: prion diseases. Totowa, NJ: Humana Press, 1996: 122-3.
10. Cousens SN, Harries-Jones R, Knight R, Will RG, Smith PG, Matthews WB. Geographical distribution of cases of Creutzfeldt-Jacob disease in England and Wales 1970-84. J Neurol Neurosurg Psychiatr 1990; **53**: 459-65.
11. The National Creutzfeldt-Jacob Disease Surveillance Unit (UK). Surveillance Protocol. Edinburgh, 2000.
12. The National Creutzfeldt-Jacob Disease Surveillance Unit (UK). Creutzfeldt-Jacob Disease Surveillance in the UK. Eight annual report 1999. Edinburgh: NCJDSU (UK), 2000.
13. Cousens SN, Vynnycky E, Zeidler M, Will RG, Smith PG. Predicting the CJD epidemic in humans. Nature 1997; **385**: 197-8.
14. Ghani AC, Ferguson NM, Donnelly CA, Hagenaars TJ, Anderson RM. Epidemiological determinants of the pattern and the magnitude of the vCJD epidemic in Great Britain. Proc R Soc Lond 1998; B265: 2443-52.

Dominique Dormont

1. Alpérovich A, Brown P, Weber T, Pocchiari M, Hofman A, Will R. Incidence of Creutzfeldt-Jacob Disease in Europe in 1993. Lancet 1994; **343**:918.
2. Hauw JJ, Naccache PY, Seilhean D, Camilleri S, Mokhtari K, Duyckaerts C. Neuropathologie des agents

- infectieux non conventionnels ou prions. Pathol Biol (Paris) 1995; **43**: 43-52.
3. Bolton DC, Bendheim PE. A modified host protein model of scrapie. In: Ciba Foundation Symposium. Novel infectious agents and the central nervous system. Chichester: John Wiley, 1988: 135, 164-77.
 4. Laplanche JL, Beaudry P, Ripoll L, Launay JM. Protéine Prion: structure, fonctions, et polymorphismes associés aux encéphaloopathies spongiformes humaines. Pathol Biol (Paris) 1995; **43**: 104-13,
 5. Will RG, Ironside JW, Zeidler M, Cousens SN, Estibeiro K, Alpérovitch A, et al. A new variant of Creutzfeldt-Jacob Disease in the UK. Lancet 1996; **347**: 921-5.
 6. Hsich G, Kennedy K, Gibbs CJ, Lee KH, Harrington MG. The 14-3-3 brain protein in cerebrospinal fluid as a marker for transmissible spongiform encephalopathies. N Engl J Med 1996; **335**: 924-30.
 7. Zeidler M, Johnstone EC, Bamber RWK, Dickens CM, Fisher CJ, Francis AF, et al. New variant Creutzfeldt-Jacob Disease: psychiatric features. Lancet 1997; **350**: 908-10.
 8. Zeidler M, Stewart GE, Barraclough CR, Batema, DE, Bates D, Burn DJ, et al. New variant Creutzfeldt-Jacob Disease: neurological features and diagnostic tests. Lancet 1997; **350**: 903-7.
 9. Chazot G, Brousseau E, Blattier T, Aguzzi A, Kopp N. New variant of Creutzfeldt-Jacob Disease in a 26-year old French man. Lancet 1996; **347**: 1181.
 10. Lasmézas CI, Deslys JP, Robain O, Demaimay R, Adjou KT, Lamoury F, et al. BSE transmission to macaques. Nature 1996; **381**: 743-4.
 11. Collinge J, Sidle KCL, Meads J, Ironside J, Hill AF. Molecular analysis of prion strain variation and the aetiology of 'new variant' CJD. Nature 1996; **383**: 685-90
 12. Bruce ME, Will RG, Ironside JW, McConnell I, Drummond D, Sutcliffe A, et al. Transmissions to mice indicate that 'new variant' CJD is caused by the BSE agent. Nature 1997; **389**: 498-501.
 13. Scott M, Will R, Ironside J, Nguyen HOB, Tremblay P, DeArmond S, et al. Compelling transgenic evidence for transmission of bovine spongiform encephalopathy prions to humans. Proc Natl Acad Sci USA 1999; **96**: 15137-42.

C. Ducrot et al.

1. Wilesmith JW, Wells GAH, Cranwell MP, Ryan JBM. Bovine spongiform encephalopathy: epidemiological studies. Vet Rec 1998; **123**: 638-44.
2. DGAL. Mesures réglementaires prises au regard de l'ESB depuis 1990. Paris: Direction Générale de l'Alimentation, publication pending.
3. Savey M, Belli P, Coudert M. Le réseau d'épidémiosurveillance de la BSE en France: principes – premiers résultats. Epidémiologie de Santé Animale. 1991; **19**: 49-61.
4. DGAL. Enquête épidémiologique relative aux cas d'ESB survenus en France en 1999. Paris: Direction Générale de l'Alimentation, 2000: 7.
5. DGAL. Nombre de cas d'encéphalopathie spongiforme bovine. Paris: Direction Générale de l'Alimentation, 2000: 4.
6. Comité d'Experts sur les Encéphalopathies Subaiguës Spongiformes Transmissibles et les Prions. Hypothèses explicatives de l'apparition de cas d'ESB chez des animaux nés après l'interdiction des farines de viande et dos dans l'alimentation des ruminants. Paris: Comité d'Experts sur les Encéphalopathies Subaiguës Spongiformes Transmissibles et les Prions, 1997: 7.